



A Leap Towards Care

FENTIGLIV

FENTICONAZOLE CAPSULE
& CREAM

La Renon


Description of Fungal infections of vagina

Fungal infections of vagina, also called candidiasis, are caused by the yeast *Candida albicans*. The yeast naturally lives in the vagina but can multiply when conditions are right and cause the infection. The condition can cause inflammation, itching and a thick white vaginal discharge.

Fenticonazole:

Imidazole antifungal agent with a broad spectrum of antimycotic activity against dermatophytes and yeasts.

Fenticonazole shows unique multimodal action against Candida species involving:



Fenticonazole has also been shown to exhibit antibacterial action, with a spectrum of activity that includes bacteria commonly associated with superinfected fungal skin and vaginal infections, and antiparasitic action against the protozoan *Trichomonas vaginalis*.

Therefore, fenticonazole may be an ideal alternative to multi-agent treatment of mixed infections involving mycotic, bacterial, dermatophyte and/or *Trichomonas* spp.

Clinical Data


In randomized comparative clinical trial with clotrimazole, fenticonazole was documented to have better clinical and mycological cure rates with significantly longer disease-free interval rates at 4 weeks following single topical application of 600 mg ovule.



Disease-free patients (%) following Fenticonazole and clotrimazole administration at 4th week

Clinical Data

Clinical efficacy of topical fenticonazole in Vulvovaginal Infections (VVI) cases was documented by Bukovsky. Trichomoniasis (100%); Candida (48.7%); and other (34.8%) pathogens were identified at baseline visit and following single dose administration patient responder rates were documented at 87% at the end of 7 days.



Clinical response rate on day 7 in symptomatic vulvovaginal infections cases

Ref: Int J Sci Stud 2017;5(5):278-280.

Fentigliv

FENTICONAZOLE CAPSULE & CREAM

Description of FENTIGLIV:

	Fentigliv Capsule	Fentigliv Cream
Composition	Fenticonazole nitrate 600 mg capsule	Fenticonazole nitrate 2% w/w 30 gm Cream
Route of Administration:	Intravaginal	Topical
Direction for Use	One 600 mg capsule at bedtime or as suggested by physician The capsule must be introduced deeply into the vagina.	Gently massage fenticonazole nitrate cream onto the affected and surrounding skin area twice daily or as suggested by the physician.

Features of FENTIGLIV:



La Renon

THE PROUD MAKERS OF

Ferromomic

Lactoferrin 100 mg and Disodium Guanosine
5-Monophosphate 10 mg Tablets

Q4LIC

(6s)- 5-Methyltetrahydrofolic acid glucosamine
salt Tablets 500 mcg

Lamino[®] She

Food Supplement for Pregnant Women

Lithohenz

Calcium carbonate (Lithothamnion Aquamin) 250 mg and
Vitamin D3 400 IU Tablets

Cramose

D-Mannose 600 mg and Cranberry
Extract 300 mg Tablets

TheBune

*An Unique Bilayered Tablet containing Ginger Rhizome
Powder - 500 mg and Vitamin B₆ (Pyridoxine) - 12.5 mg*

Ferromomic Plus

Lactoferrin 50 mg, Disodium Guanosine 5-Monophosphate 5
mg, Elemental iron (FBG) 30 mg and Folic Acid 200 mcg Tablets

Estrahenz

Estradiol Valerate 2 mg Tablets

Mirapause

S-Equol 5 mg Tablets to address Menopausal Symptoms

FENTIGLIV

Fenticonazole 600 mg Capsule & 30 g cream

Utichek

Nitrofurantoin 100 mg Sustained
Release Tablets

Paldela Injection

Ferric Carboxymaltose Injection 50 mg/ml

La Renon Healthcare Private Limited

207-208 ISCON Elegance | Circle P | Prahlad Nagar Cross Roads
S.G.Highway | Ahmedabad - 380015 | Gujarat | India.
Phone: +91-79-6616-8998, +91-79-2693-6656 | Fax: +91-79-6616-8998
E-Mail: info@larenon.com | www.larenon.com